

Appendix IV:

ACES submissions as a percentage of registrations (2008) & Litters July 2009 - June 2010

Breed	Sch 1	Sch 2	Repeat defects	Litters
Golden Retriever (490, 18.05%) 442 no lesions (excl. gonioscopy) 400 no lesions (incl. gonioscopy)	HC 11 MRD 7	nil	distichiasis 6 lid apposn./puncta 7 corneal lipidosis 6 iris cysts 0, PPM 2 nuclear/cortical cataract 1 goniodysgenesis (>33%) ? retinal scars (non-congen) 10	6L, 6 unaff early PPM scars
Cavalier K Charles Sp (266, 8.54%) 220 showed no lesions	MRD 16	nil	distichiasis 13 lipid dystrophy 10 nuclear cataract 2 perinuclear cataract 1 retinal scars 2	8L, 7 unaff 3P nucl cat 2P capsular cat 1P lenticonus
Labrador Retriever (226, 5.3%) 199 showed no lesions. Gonioscopy is not routine	HC 5 MRD 7 (2 geo)	nil	distichiasis 1 corneal lipidosis 3 nuclear/cortical cataract 4 PPM 2, RPED 1 goniodysgenesis 1 retinal scars (? non-congen) 9	6L, 6 unaff
Miniature Schnauzer (175, 14.43%) 162 showed no lesions	HC 1	nil	distichiasis 13 focal cataracts 3	18L, 16 unaff 1P pers. hyaloid 1P PTVL
Australian Shepherd (67, 19.03%) 62 showed no lesions	nil	HC 2	distichiasis 3	22L, 20 unaff 2L MRD
Miniature Bull Terrier (66, 23.1%) 36 showed no lesions	PLL 10	nil	sub-clin lens lux 11 endothelial def /PPM 7 Ret hyperreflectivity 1	1L – ext corneal PPM scars
Siberian Husky (60, 9.41%) 47 showed no lesions (excl. gono) 40 showed no lesions (incl. gono)	G 5 HC 2	nil	distichiasis 2, puncta 2 cortical cataract 1 retinal scars (?acq) 2	
Border Collie (50, 2.52%) 42 showed no lesions (excl. gono) 37 showed no lesions (incl. gono)	nil	nil	PPM (I-I) 2 goniodysgenesis 6	5L, 5 unaff. 2P CH 1P PPM
Am. Cocker Spaniel (45, 42.0%) 18 showed no lesions	MRD 6 HC 3	nil	distichiasis 5 focal cortical cat 3	nil

Belgian Shepherd (44, 13.71%)

39 showed no lesions (across all 4 varieties)

Groenendael	18 / 14	PPM 3	nil
Lakenois	4 / 4	nil	nil
Malenois	5 / 5	HC 1	nil
Tervueren	17 / 16		

Shetland Sheepdog (41, 5.22%)

27 showed no lesions

CH 11	nil	distichiasis 6	81L, 46 unaff
coloboma 0		corneal lipidosis 3	30L CH only
		cataract 1	5L CH+coloboma
			2P PPM
			3P persist. hyaloid

Staffordshire Bull Terrier(40*,<1%)

24 showed no lesions

nil	distichiasis 7	21L, 18 unaff
	focal cataract 3	13P distichia
	retinal scars 4	1P MRD focal

Alaskan Malamute (36, 14.23%)

31 showed no lesions

HC 1	nil	PPM 2, MRD 1
		distichiasis 2

Finnish Lapphund (34, 68.0%)

34 showed no lesions

nil	linear fundus lesion	nil
	? MRD (<i>MEB</i>)	

Eng. Springer Spaniel (32, 10.39%)

27 showed no lesions

nil	punctal atresia 1	3L, 1 unaff
	nuclear cataract 1	
	MRD 1	

Havanese (24, 28.57%)

21 showed no lesions

?	?	?

Swedish Vallhund (24, 75.0%)

12 showed no lesions

nil	MRD 4 PPM 3
	distichiasis 2

Welsh Springer Spaniel (23, 27.7%)

15 showed no lesions goniodyn- 5 genesis

nil	distichiasis 3	nil
	PPM 3	

Flat Coated Retriever (20, 23.25%)

17 no lesions (all incl. gonio)

goniodys- 1	distichiasis 1
genesis	post cortical cat 1

Tibetan Terrier (20, 25.0%)

19 showed no lesions

HC 1		nil

Poodle Standard (16, 5.30%)

15 showed no lesions

nil	nuclear cataract 1	2L, 2unaff

Samoyed (16, 3.97%)

12 showed no lesions (excl gonio)

nil	distichiasis 1	2L, 2 unaff
	corneal lipidosis 2	
	(acq.) retinal scars 1	

? showed no lesions (incl gonio)

Puli (14, 45.16%) 12 showed no lesions	MRD 1	nil	focal cataract 1 (<i>AO</i>) 1L 1 unaff	
Curly Coat Retriever (12, 12.10 %) 9 showed no lesions	nil	nil	PPC 2 distichiasis 1	nil
Tibetan Spaniel (11, 3.0%) 9 showed no lesions	nil	nil	distichiasis 1 focal cortical cat 1	nil
American Staffordshire (10, 0.91%) 8 showed no lesions	nil	nil	distichiasis 2	nil
Collie Rough (10, 2.28%) 6 showed no lesions	CH 4 CH+colo 1	nil	53 Litters tested, of which 5 unaff (21P). 48 Litters (128 pups) with CEA evidence 97 pups choroidal hypoplasia (CH) only 32 P CH + coloboma, 8 P retinal det/Hge Also - 3P PPMs, 9 retinal folds / MRD	
Collie Smooth (0, %)	nil	nil	nil	3L, 3 unaff. 15 pups in total
Poodle Miniature (10, 2.87%) 9 showed no lesions	nil	nil	ON hypoplasia 1	2L, 1 unaff 2P ON hypoplasia
Basenji (9, 6.57%) 2 showed no lesions	PPM (I-I) 6 PPM (I-C) 1	nil	nil	2L, 1 unaff 2P PPM (I-I)
Field Spaniel (9, 32.14%) 8 showed no lesions	nil	MRD	nil	nil
Italian Greyhound (9, 2.28%) 8 showed no lesions	nil	nil	PRA/abiotrophy 1	
Old English Sheepdog (8, 11.27%)	nil	nil	acq. ret. detach 1	2L, 2 unaff
Portugese Water Dog (8, 13.11%) 6 showed no lesions	nil	nil	PRA * (<i>CW</i>) HC * (<i>CW</i>)	
Lagotto romagnolo (8, 5.26%) 6 showed no lesions	nil	nil	TF vermiform BVs post-trauma cataract 1	
Basset Hound (7, 3.66%) 5 normal on goniscopy	gonio- 2 dysgenesis	nil	ectropion 1 MRD 1	
Brittany (7, 10.77%)	nil	nil	nil	nil
German Spitz (Mittel) (7, 11.86%) 6 showed no lesions	nil	nil	distichiasis 1	nil

Gordon Setter (7, 11.86%) 5 showed no lesions	nil	nil	punctal atresia	
Neapolitan Mastiff (7, 3.74%) 4 showed no lesions	?	?	KCS assoc with lid apposition defects	
Bedlington Terrier (6, 17.64%)	nil	nil	nil	nil
Nova Scotia DT Retriever (6, 11.5%) 6 showed no lesions	nil	nil	nil	
Petit Basset Griffon (6, 22.2%) Vendeen - 5 showed no lesions	nil	nil	PPMs fine	
Australian Kelpie (5, 2.76%)	nil	nil	nil	nil
Bichon Frise (5, 1.20%) 3 showed no lesions	nil	nil	MRD 2	nil
Chinese Crested Dog (5, 1.95%)	nil	nil	nil	nil
Leonberger (5, 41.6%) 3 showed no lesions	nil	nil	PPM 1 (I-I) distichiasis 1	nil
Akita (4, 2.33%)	nil	nil	nil	nil
Griffon Bruxellois (4, 2.53%) 1 showed no lesions	nil	nil	PPM's (I-I) 3	nil
Australian Cattle Dog (3, 0.27%)	nil	nil	gonio not done	nil
Aust Stumpy Cattle Dog (3, 1.97%) 3 showed no lesions	nil	nil	nil	nil
Boston Terrier (3, 2.5%)	HC 1	nil	nil	1L 1 unaff
Clumber Spaniel (3, 13.6%) 1 showed no lesions	nil	nil	entropion pig keratitis	
Dandie Dinmont (3, 14.28%)	nil	nil	gonio not done	nil
Dalmatian (3,)	nil	nil	nil	
Dogue de Bordeaux (3,)	nil	nil	nil	
Jack Russell Terrier (3, 0.28%)	nil	nil	PPM endo scars	nil
Polish Lowland Sheepdog (3, 42.8%) nil	nil	nil	distichiasis 1	

Pug (3, 0.20%)	nil	nil	med. canthal 2 entropion	nil
Bernese Mountain Dog (2, 0.6%)	nil	nil	nil	nil
Borzoi (2, 4.76%)	nil	nil	nil	nil
French Bulldog (2, 0.4%)	nil	nil	nil	nil
German Pinscher (2,)	nil	nil	nil	nil
Gernan Shorthaired Pointer (2,)	nil	nil	distichiasis	
Giant Schnauzer (2, 3.84%)	nil	nil	nil	nil
Hungarian Viszla (3,)	nil	nil	nil (1 was a wire)	
Lowchen (2, 2.98%)	nil	nil	nil	nil
Papillon (2,)	nil	nil	nil	nil
Pointer (2, 1.27%)	nil	nil	nil	nil
Poodle Toy (2, 0.14%) 1 showed no lesions	nil	nil	distichiasis 1	
Rottweiler (2, 0.14%)	nil	nil	nil	nil
Weimaraner (2, 0.35%)	nil	nil	nil	nil
Welsh Corgi Pembroke (2, 0.46%)	nil	nil	nil	nil
Bearded Collie (1, 2.12%)	nil	nil	nil	
Bouvier des Flandres (1,)	nil	nil	nil	
Doberman Pinscher (1)	nil	nil	nil	1L, unaff
Norfolk Terrier (1, 5.5%)	nil	nil	prom ONH ?	nil
Swedish Lapphund (1,)	nil	nil	nil	
Whippet (1,)	nil	nil	nil	
Yorkshire Terrier (1,)			unilat senile cat	

Totals for the period 12 June 2009 to 16 June 2010 2080 Adult exams 240 Litters

Totals reported to date : **7208 adult exams** **944 litter assessments**
Forms distributed by AVA: **8700 adult forms** **1675 litter forms**

Dr Bruce Robertson
ACES Chief Panellist

25 June 2010